



# BMJ Open Quality Evaluating a community respiratory physiotherapy service for children with neurodisability

Samantha Smith <sup>1</sup>, Moira Flanigan,<sup>1</sup> Sarah Haynes,<sup>2</sup> Anastasia Michael,<sup>2</sup> Toni Wolff <sup>3</sup>

**To cite:** Smith S, Flanigan M, Haynes S, *et al.* Evaluating a community respiratory physiotherapy service for children with neurodisability. *BMJ Open Quality* 2022;**11**:e001683. doi:10.1136/bmjopen-2021-001683

► Additional supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-001683>).

Received 21 September 2021  
Accepted 12 February 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>The Children's Development Centre, Nottinghamshire Healthcare NHS Foundation Trust, Nottingham, UK

<sup>2</sup>The Children's Development Centre, Nottingham University Hospitals NHS Trust, Nottingham, UK

<sup>3</sup>The Children's Development Centre, Nottingham Children's Hospital, Nottingham, UK

## Correspondence to

Samantha Smith;  
samantha.smith@nottshc.nhs.uk

## ABSTRACT

**Background** Children with neurodisability are at an increased risk of respiratory problems and complications, which often result in prolonged, frequent hospital admissions and are the biggest cause of mortality in this client group. The Children's Community Respiratory Physiotherapy Service (CCRPS) was established in 2010 to support children with severe neurodisabilities at home during acute chest infections and to prevent emergency department attendances and hospital admissions. This service evaluation looked at patient/parent satisfaction and prevented admissions to ensure clinical and cost-effectiveness, despite the rising demand for the service.

**Methods** Over a 3-month period, patients and parents/carers on the CCRPS caseload were given a Picker feedback survey following 100 emergency visits from the team. The number of prevented hospital admissions for respiratory tract infection over 12 months (April 2019–March 2020) was identified from existing CCRPS data and hospital admissions costs saved were estimated.

**Results** The Picker survey responses were extremely positive with all respondents reporting that they felt well looked after and that the main reason for the emergency visit was dealt with well. Based on key indicators, the CCRPS prevented 182 hospital admissions for respiratory tract infection in 2019/2020, equating to 1638 bed days and estimated cost savings ranging between £751 728 and £1 009 986.

**Conclusions** The Picker survey response demonstrates the positive impact that the CCRPS has on both quality of life and experience for patients and families. The CCRPS rapid response service prevents hospital admissions for respiratory tract infections in children and young people with severe neurodisability and the cost savings from admissions prevented allows the service to more than pay for itself.

## BACKGROUND

Innovations and developments in healthcare have led to an increasing population of children and young people (CYP) living with complex neurodisability and life-limiting conditions (LLCs). Recent data show that the prevalence of children with LLCs, particularly those with neurodisability and congenital abnormalities has increased in England from 26.7 per 10 000 in 2001 to 66.4 per 10 000 in 2017/2018<sup>1</sup> and this trend is set to continue.<sup>2</sup>

## Key messages

### What is already known on this topic?

- We know children with medical complexity account for a substantial proportion of healthcare costs, often driven by multiple admissions, lengthy hospital stays and readmissions.
- We know that there is an increasing demand for specialist paediatric respiratory care within the community as the population of severely disabled children increases.
- An early study of this service 10 years ago with only 34 children demonstrated that a community respiratory physiotherapy service can reduce acute hospital admissions, but there was a need to understand how this translates to a larger caseload across a broader age range.

### What this study adds?

- This study adds patient and family feedback on a community respiratory physiotherapy service, highlighting how such a service can affect the whole family.
- This study demonstrates the hospital admission avoidance figures, and cost savings that can be achieved across a much bigger caseload than previously shown.

### How this study might affect research, practice or policy?

- This study provides valuable information to support business cases for a similar service in other regions and for other age groups, promoting an equitable service across the country and beyond.

Children with severe neurodisability are at increased risk of respiratory complications and such problems are a common cause of morbidity and mortality with frequent, prolonged hospital admissions and high healthcare resource use.<sup>3</sup> Respiratory complications account for the highest proportion of early deaths among this population<sup>4</sup> and a national cohort study in 2017 showed that CYP with LLCs accounted for 72% of paediatric intensive care unit (PICU) bed-days and 73% of deaths in PICU.<sup>5</sup>



Expanding service provision and improving quality of life and experience for this patient group were identified as key performance indicators in the UK NHS National Outcomes Framework,<sup>6</sup> and NHS Long Term Plan.<sup>7</sup> The commissioning and development of specialist services which are patient-centred, cost-effective and sustainable is of critical importance for the National Health Service (NHS) in a climate with ever-increasing pressures. It has been demonstrated that specialist respiratory physiotherapy treatment can be highly effective in the acute and long-term management of CYP with complex disabilities and recurrent or persistent respiratory illness<sup>8,9</sup> and offering these services within the community improves patient experience by keeping CYP closer to home and with their families.<sup>10–12</sup>

The 2020 consensus statement on prevention and management of respiratory disease in young people with cerebral palsy states that this client group should have access to respiratory physiotherapy and personalised chest clearance programmes when needed both as preventative and acute treatment measures.<sup>13</sup>

The Nottinghamshire Children's Community Respiratory Physiotherapy Service (CCRPS) was established in 2010 with one whole time equivalent highly experienced Specialist Respiratory Physiotherapist for Nottingham City, to reduce hospital admissions and emergency department (ED) attendances, improving outcomes, quality of life and experience for CYP with complex neurodisability.

The service provides individualised respiratory physiotherapy care plans including chest clearance programmes, training to parents and the professional carers in the team around the child, as well as rapid respiratory assessment and treatment in the community in the event of an acute deterioration during weekdays.

A typical rapid response visit consists of a thorough respiratory assessment including assessment of the child's vital signs, clinically reasoned chest physiotherapy airway clearance treatment such as manual techniques, nebulisation therapy, mechanical insufflation–exsufflation, high frequency chest wall oscillation and oropharyngeal and nasopharyngeal suctioning. Sputum samples and nasopharyngeal aspirates are usually taken for microscopy, culture and sensitivity, and virology testing to ensure appropriate treatment. The team includes a physiotherapist who is a non-medical prescriber who can prescribe antibiotics, bronchodilators, mucolytics or anti-inflammatory agents if needed. The visit always concludes with the physiotherapist providing the parents/carers with a detailed plan of the chest physiotherapy they should perform in the time until the physiotherapist next visits, and what to do if their child deteriorates.

The physiotherapist has telephone support from the local district community neurodisability paediatricians and the consultant respiratory paediatricians in the local children's hospital.

Since 2010, the service has expanded to three full time specialist physiotherapists and now supports a caseload of 120 CYP from infancy up to 25 years, across Nottingham

City and Nottinghamshire. The area has a population of CYP 0–17 years of 237 500. The CYP on the caseload have severe neurodisability and complex medical needs. One hundred and five (88%) are gastrostomy or nasogastric tube fed, 15 (13%) have a tracheostomy, 25 (21%) are supported by non-invasive ventilation and 102 (84%) have very severe movement disorders, Gross Motor Function Classification System (GMFCS) level 5 or equivalent for those with neurodegenerative conditions.

An early service evaluation in 2015 identified the CCRPS to be effective in reducing ED attendances, hospital admissions and length of stay for respiratory tract infections.<sup>10</sup> We now report the results of a further service evaluation which was conducted from 1 April 2019 until end of March 2020 to look at admissions prevented and user satisfaction with the service.

## METHOD

The number of hospital admissions for respiratory tract infection prevented by the CCRPS during the 12-month period April 2019–March 2020 were identified from case note records. A prevented hospital admission for respiratory tract infection was identified when three out of the following five indicators were present at the physiotherapy assessment at the time of the emergency call out visit: fever, respiratory distress, chest auscultation changes, tachycardia or bradycardia and reduced arterial oxygen saturation. These indicators have been used to identify a prevented admission since the service was first established and are based on the Paediatric Early Warning Score system which is used within Nottingham University Hospitals.<sup>14</sup> This data is collected routinely within the patient records and is fed back to service commissioners on a regular basis.

The number of bed days prevented by the CCRPS during 2019/2020 was calculated assuming an average length of stay at each admission for lower respiratory tract infection (LRTI) of 9 days. The UK NHS Improvement 2020 National tariff<sup>15</sup> uses an expected average length of stay of 9 days for a child with long-term conditions and comorbidity admitted with an LRTI. We also had pre-service data from 2009, when 34 patients had 43 hospital admissions for respiratory tract infection with 383 respiratory admission bed days,<sup>10</sup> which equates to a mean length of stay of 9 days. If there was more than one emergency contact for the same child within this 9-day timeframe, the additional contacts have not been counted as an admission prevented.

To estimate the potential cost savings as a result of the hospital admissions avoided, we asked the clinical coding team at Nottingham University Hospital which health resource group (HRG) code and complexity and comorbidity (CC) score the CYP on our caseload fall into, according to the NHS Improvement National Tariff.<sup>15</sup> We gave the coding team an example of an actual admission of one of our patients for LRTI in December 2019 (see box 1). The HRG code allocated for this admission

## Box 1 Comorbidities of the patient whose admission was used as an example to confirm HRG codes and CC scores for our patient group

### Comorbidities of patient admitted in December 2019

- ▶ Severe bilateral cerebral palsy with spasticity and dystonia. GMFCS level 5 following hypoxic ischaemic encephalopathy at birth.
- ▶ Intrathecal baclofen pump in situ.
- ▶ Structural focal epilepsy.
- ▶ Jejunostomy fed.
- ▶ Gut dysmotility.
- ▶ Gastro-oesophageal reflux.
- ▶ Scoliosis.
- ▶ Visual impairment.
- ▶ Wheelchair dependent.
- ▶ Received physiotherapy.

was PD14A with a CC Score of 11+. The majority of CYP on the CCRPS caseload would score similarly for level of complexity but we also obtained the HRG code for an admission for LRTI of CYP with CC Score 8–10. We then identified the costs of an admission using the UK National tariff<sup>16</sup> (see [table 1](#)).

The costs of the CCRPS per annum including staff, equipment and travel were obtained from the service general manager.

The ‘Patient Reported Experience Measure (PREM) for urgent and emergency care’ is a set of surveys designed to measure the experience of CYP aged 0–16 years (or their parents), in urgent and emergency care settings. These tools were designed in 2012 by the Royal College of Paediatrics and Child Health and the Picker Institute Europe.<sup>17</sup> To evaluate the CCRPS we adapted, with the support and approval of the Picker team, both the parent and child versions of the tool. The surveys consist of 20 questions and are a mixture of multiple-choice questions, Likert scale questions, demographic questions and open-ended questions.

From 1 November 2019 to 31 January 2020, parents and carers, and where appropriate the child themselves, were asked to anonymously complete a PREM survey at, or shortly after each consecutive emergency home, school or short break unit visit from the CCRPS. The surveys were collected in a sealed envelope either at the end of the visit or at a subsequent visit. The responses to the

Likert scale questions are reported using simple statistics. The free comments about the emergency care delivered by the service were analysed using thematic analysis.

Ethics approval was not required as this is a service evaluation.

Standards for Quality Improvement Reporting Excellence (SQUIRE) guidelines were used in this paper.<sup>18</sup>

### Patient and public involvement

We adapted a Picker survey which had been already piloted with users. We did not pilot it with our client group before use. We were reassured by the informal verbal feedback of the service users that the survey was appropriate and easy to complete.

## RESULTS

### User feedback (PICKER survey)

One hundred survey forms were given out at rapid response emergency community visits between 1 November 2019 and 31 January 2020. Sixty-six of 100 surveys were returned. In 61 of the surveys, all 18 closed-ended questions were completed, in 5 there were one or two missing answers, so data from all 66 surveys were analysed.

Sixty-one of sixty-six were completed by the parent/carer, 3 were completed by the child and parent/carer together and 2 by the child on their own. Forty-three of sixty-six (65%) CYP who responded or whose parent/carer responded were male. The median age of the child being seen was 13 years, and the IQR 4–16 years. The majority of CYP were white British/European 35 (63%) with 17 (30%) being of Asian origin, 2 (4%) mixed origin, 1 (2%) black/black British and 1 (2%) other. English was the main language spoken at home (75%) with Asian languages in 21% of respondents and other languages 4%.

The responses to the surveys were extremely positive (see [table 2](#)).

The full results from ‘Your Child’s Emergency Care’ Picker survey designed for parents/carers and the full results from the CYP version ‘Your Emergency Care’ Picker survey can be seen in online supplemental material table A,B, respectively.

### Free comments

Thirty-three of sixty-six (50%) of the respondents gave free comments about what was really good regarding the emergency care given, with most of them giving several comments (online supplemental table C). Example comments include ‘It is an invaluable service that helps keep our son well and out of hospital, without which would mean more unnecessary hospital visits’ and ‘fast response, clear plan made for our sons care’ and ‘always so kind and helpful’. From the comments received, nine themes were identified (see [table 3](#)).

Twenty-two of sixty-six (33%) respondents gave comments to the question ‘Was there anything that could have been better?’ (online supplemental material table

**Table 1** 2019/2020 figures from the national tariff admitted patient care and outpatient procedure prices document

HRG code	HRG name	Cost (£) (completed consultant episode)
PD14A	Paediatric lower respiratory tract disorders without acute bronchiolitis with CC Score 11+	6923
PD14B	Paediatric lower respiratory tract disorders without acute bronchiolitis with CC Score 8–10	5504

CC, complexity and comorbidity; HRG, health resource group.

**Table 2** Survey responses

<b>Waiting</b>	<b>Number of respondents</b>	<b>We did not have to wait at all</b>	<b>The wait was shorter than expected</b>	<b>The wait was about as long as expected</b>	<b>The wait was longer than expected</b>	
How did you feel about the wait time?	66	32 (48%)	25 (38%)	9 (14%)	0	
<b>Care and treatment</b>	<b>Number of respondents</b>	<b>Yes, completely</b>	<b>Yes, sort of</b>	<b>No</b>	<b>Not needed</b>	<b>Don't know/can't remember</b>
Did the physiotherapist explain what they were doing in a way you could understand?	66	64 (97%)	1 (1.5%)	0	1 (1.5%)	0
Did the physiotherapist do everything they could to calm/comfort you or the CYP?	66	61 (92%)	4 (6%)	0	1 (2%)	0
Did you/the CYP feel at ease with the physiotherapist?	64	61 (95%)	3 (5%)	0		
Did the physiotherapist do everything they could to help with your/the CYP's breathing problems?	66	56 (85%)	1 (1.5%)	1 (1.5%)	8 (12%)	
Do you think the physiotherapist did everything they could to help you/the CYP?	66	65 (98.5%)	1 (1.5%)	0		
Did the physiotherapist explain what was wrong in a way you could understand?	65	63 (97%)	2 (3%)	0	0	0
	<b>Number of respondents</b>	<b>Yes, enough</b>	<b>Some, but not enough</b>	<b>None, but I would have liked some</b>	<b>None, but I didn't need any</b>	<b>They didn't know what was wrong</b>
Did you receive enough information about your/the CYP's condition and treatment?	66	64 (97%)	2 (3%)	0	0	0
	<b>Number of respondents</b>	<b>Went to hospital</b>	<b>Went home/stayed home</b>	<b>Other</b>		
After the emergency care, what happened?	65	3 (5%)	38 (58%)	24 (37%)		
<b>Aftercare</b>	<b>Number of respondents</b>	<b>Yes, definitely</b>	<b>Yes, to some extent</b>	<b>No</b>	<b>Not needed</b>	<b>Don't know/can't remember</b>
Did they tell you what to watch out for at home after your/the CYP's care?	62	59 (95%)	0	0	3 (5%)	0
Did they tell you what to do or who to contact if you were worried about anything after your/the CYP's care?	64	64 (100%)	0	0	0	0
Was the main reason for the emergency care dealt with well?	65	63 (97%)	2 (3%)	0	0	0

Continued

**Table 2** Continued

Waiting	Number of respondents	We did not have to wait at all	The wait was shorter than expected	The wait was about as long as expected	The wait was longer than expected
	Number of respondents	Very well	Fairly well	Not very well	Not at all well
Overall, how well were you/ the CYP looked after by the physiotherapist?	66	64 (97%)	2 (3%)	0	0

Created by the authors.  
CYP, children and young people.

D). Four main themes were identified: nothing could be done better 19/22 (86%), lack of service for post 25 years 2/22 (9%), lack of 24-hour service 1/22 (5%) and lack of extended weekend service 1/22 (5%). Example comments include ‘My concern is that the service ends at 25 years old when we will be left with nothing so I can see more hospital admissions in the future’ and ‘Needs to be a 24-hour service’.

### Admissions prevented and cost analysis

In the 12-month period between April 2019 and March 2020, 182 hospital admissions were prevented by the CCRPS. Assuming an average length of stay (LOS) of 9 days, this equates to 1638 bed days saved.

The majority of the CCRPS caseload would meet the criteria for a CC Score of 11+, however, we have presented a range of possible cost savings based on CC Score 8–10 or 11+ (see [table 4](#)). The cost of the CCRPS including staff, travel and equipment is £250 000 per annum.

This gives estimated hospital admissions cost savings for 2019/2020 ranging between £751 728 and £1 009 986.

## DISCUSSION

We have presented estimated cost savings for hospital ward admissions with LRTI. However, many of the CYP

on our case load would have been admitted to the PICU rather than a ward. The cost of a critical care bed per day ranges from £849 to £4824.<sup>19</sup> Also, it has been reported that children with neurodisability and medical complexity have an increased risk of a prolonged length of PICU stay (>15 days)<sup>20</sup> or prolonged hospital ward stays of several weeks<sup>13</sup> so the cost savings for admissions prevented could be much higher than we have estimated.

Hospital admissions have a negative impact on the quality of life of the child or young person and their family.<sup>21</sup> The prevented admissions and the enthusiasm for the service from the user feedback suggests that the CCRPS improves the quality of life of the CYP and their families.

There was overwhelmingly positive feedback from the survey with most service users reporting they received good, prompt emergency care, and that they were given advice on signs to look out for and who to contact if they had further worries about their child.

The positive themes identified from the free comments questions show the value of the service to parents/carers and CYP. The highest proportion of respondents reported ‘care and advice’ to be a reason why their emergency care was really good. Interestingly, all respondents who cited ‘Hospital/GP visits prevented’ as a reason for their emergency care being really good were over 16 years of age, perhaps due to these patients/families experiencing multiple hospital admissions prior to the service beginning in 2010. Some respondents said that the physiotherapist being able to prescribe made their emergency

**Table 3** Themes from respondents’ comments about what was really good about emergency care given

Themes	Number of free comments
Care and advice given	13
Staff/service	11
Reassuring and calming	7
Short wait time	7
Hospital/GP visits prevented	5
Detailed explanation/communication	4
Know the child well	4
Everything	4
Medication prescribed	3

Created by the authors.  
GP, general practitioner.

**Table 4** Range of cost savings after service costs based on CC scores of 11+ and 8–10

CC Score	Admissions prevented (April 2019–March 2020) × cost completed consultant episode	Cost savings after service costs per annum
8–10	182 × £5504 = £1 001 728	£1 001 728 – £250 000 = £751 728
11+	182 × £6923 = £1 259 986	£1 259 986 – £250 000 = £1 009 986

Created by the authors.  
CC, complexity and comorbidity.

care really good as this saved time and stress in getting the help their child needed.

The suggestions for improvement were merely that respondents wanted the service hours to be extended to out of hours, including weekends and bank holidays, indicating how much they value the service. The two respondents who suggested a service for those over age 25 years were parents/carers of young people aged 16 and 22 years. This highlights the apprehension around transition and lack of a similar service for the adult population. There were no criticisms of the service. In response to the suggestions for improvement, extending the service hours to provide 24/7 cover would require the recruitment of several additional specialist therapists and would significantly increase service costs. The service currently operates on 6 days per week over the winter period and extension of this to all year round is being considered. The need for a similar service for young people with severe neurodisability and recurrent respiratory illness has been raised with local health service commissioners and demographic data regarding the numbers of young people who will need such a service in the next 5 years is being collected.

Learning from what patients think about the care they have received is widely accepted as a key to improving healthcare services. Evidence shows that patient experience feedback can shape services to better meet patient need and patient experience is a central outcome for the NHS.<sup>22</sup>

It is important to recognise that the CCRPS does not operate in isolation. The CCRPS is part of the wider multidisciplinary team including paediatric neurologists, respiratory and community neurodisability paediatricians, community nurses, palliative care team, general practitioners and short breaks services. The risk factors for respiratory disease in children with severe neurodisability are multifactorial and a multidisciplinary approach to their management is essential.<sup>23</sup> Treatment plans must always be in the best interests of the child and aimed at improving quality of life. Many of these CYP will have LLCs and life-threatening conditions and so treatment plans including the family held emergency healthcare/respiratory escalation plan<sup>24</sup> are regularly reviewed with the child's lead paediatrician and the CYP and parent/carers. The CCRPS may be part of the community children's end of life care service and is only withdrawn when the burden of treatment out-weighs the benefit, in discussion with child, parents and the multidisciplinary team. Also, there is an increased burden on the families/carers in keeping a severely disabled CYP at home during an acute respiratory infection and there needs to be a flexible home care support package to prevent exhaustion.

### Limitations

Only 66 of 100 completed surveys were returned. There may have been a language barrier for some families and the return rate may have been greater if the survey had been translated for those families whose first language

was not English. Also, the CCRPS could have had a more systematic approach to recovering missing responses. However, it has been suggested that the ideal number of responses required to achieve meaningful data for service improvement is 50–100,<sup>17</sup> so 66 returned surveys was adequate.

Although patients and parents/carers were encouraged to answer honestly and the responses were anonymous, we must acknowledge that the families and CYP know the physiotherapists and therefore may not have wanted to criticise them.

### CONCLUSION

This evaluation demonstrates the value of a CCRPS and the positive impact it can have on both the quality of life and experience for both patients and families. As well as providing reassurance and advice, a CCRPS can facilitate families to remain together at home during acute respiratory infection.

The cost savings achieved through prevented hospital admissions for respiratory tract infection by the CCRPS enable the service costs to be covered while still contributing towards NHS savings.

We recommend similar services should be developed for all severely disabled CYP at risk of respiratory tract infection.

With an increasing number on the caseload approaching adulthood, in order to sustain the improved quality of life and maintain the reduced admission rates, the next step for the CCRPS will be to work with local health service commissioners to plan for the provision of a post 25 years service.

**Acknowledgements** We gratefully acknowledge the contribution of the participants in this study. We thank the Picker Institute for allowing us to adapt and use the surveys for the purpose of this service evaluation. We thank Caroline Adcock and Christine Martin for their support in the initial study design and the collection of survey data.

**Contributors** SS, MF, SH, AM and TW contributed to the design of the work. SS and MF contributed to the data collection. SS, MF, SH, AM and TW contributed to the data analysis and interpretation. SS contributed to the drafting of the article. SS, MF, SH, AM and TW contributed to the critical revision of the article. SS, MF, SH, AM and TW contributed to the final approval of the version to be published. The corresponding author attests that all listed authors meet authorship criteria and that no others meeting the criteria have been omitted. SS is the author acting as guarantor.

**Funding** The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

**Competing interests** None declared.

**Patient consent for publication** Not applicable.

**Ethics approval** This study involves human participants but medical research council said the study was not considered research by the NHS. Participants gave informed consent to participate in the study before taking part.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** All data relevant to the study are included in the article or uploaded as supplementary information. Not applicable.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and

responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

#### ORCID iDs

Samantha Smith <http://orcid.org/0000-0002-7458-9052>

Toni Wolff <http://orcid.org/0000-0002-0206-998X>

## REFERENCES

- Fraser LK, Gibson-Smith D, Jarvis S, *et al*. Estimating the current and future prevalence of life-limiting conditions in children in England. *Palliat Med* 2021;35:1641–51.
- Fraser LK, Gibson-Smith D, Jarvis S. 'Make Every Child Count' Estimating current and future prevalence of children and young people with life-limiting conditions in the United Kingdom. *University of York*, 2020. Available: [https://www.togetherforshortlives.org.uk/wp-content/uploads/2020/04/Prevalence-reportFinal\\_28\\_04\\_2020.pdf](https://www.togetherforshortlives.org.uk/wp-content/uploads/2020/04/Prevalence-reportFinal_28_04_2020.pdf) [Accessed Jul 2020].
- Cohen E, Berry JG, Camacho X, *et al*. Patterns and costs of health care use of children with medical complexity. *Pediatrics* 2012;130:e1463–70.
- Hurley M, Vyas H. Respiratory problems in children with neurodisability. *Paediatr Child Health* 2015;25:463–6.
- Fraser LK, Parslow R. Children with life-limiting conditions in paediatric intensive care units: a national cohort, data linkage study. *Arch Dis Child* 2018;103:540–7.
- NHS outcomes framework 2016-2017. Available: <https://www.gov.uk/government/publications/nhs-outcomes-framework-2016-to-2017> [Accessed Jul 2020].
- NHS long term plan. Available: <https://www.longtermplan.nhs.uk/online-version/chapter-3-further-progress-on-care-quality-and-outcomes/a-strong-start-in-life-for-children-and-young-people/redesigning-other-health-services-for-children-and-young-people/> [Accessed Jun 2020].
- British thoracic Society quality standards for the respiratory management of children with neuromuscular weakness. Available: <https://www.brit-thoracic.org.uk/quality-improvement/quality-standards/neuromuscular-weakness/> [Accessed Nov 2020].
- Association of Paediatric Chartered Physiotherapists. Commissioning tool for community paediatric respiratory physiotherapy posts, 2017. Available: [https://apcp.csp.org.uk/system/files/commissioning\\_tool\\_for\\_paediatric\\_community\\_respiratory\\_physiotherapy\\_posts.pdf](https://apcp.csp.org.uk/system/files/commissioning_tool_for_paediatric_community_respiratory_physiotherapy_posts.pdf) [Accessed Aug 2020].
- Wolff A, Griffin H, Flanigan M, *et al*. Development and evaluation of a community respiratory physiotherapy service for children with severe neurodisability. *BMJ Qual Improv Rep* 2015;4:u208552.w3411.
- Turner L, Davidson M, Halfhide C. Families perception of a rapid response community respiratory physiotherapy team. *Eur Respir J* 2019;54.
- Michael A, Milner S, Griffin H. G467 rapid response physiotherapy service in patients with life limiting conditions. *Arch Dis Child* 2019;104:188–9.
- Gibson N, Blackmore AM, Chang AB, *et al*. Prevention and management of respiratory disease in young people with cerebral palsy: consensus statement. *Dev Med Child Neurol* 2021;63:172–82.
- Chapman SM, Maconochie IK. Early warning scores in paediatrics: an overview. *Arch Dis Child* 2019;104:395–9.
- NHS improvement 2020. 2020/21 Annex A: the National tariff workbook. Available: <https://www.england.nhs.uk/publication/national-tariff-payment-system-documents-annexes-and-supporting-documents/> [Accessed Aug 2020].
- NHS England national tariff 2019/20. Available: <https://www.england.nhs.uk/publication/past-national-tariffs-documents-and-policies/> [Accessed Nov 2020].
- Royal College of paediatrics and child health. patient reported experience measure (PREM) for urgent and emergency care. Available: <https://www.rcpch.ac.uk/resources/patient-reported-experience-measure-prem-urgent-emergency-care> [Accessed Aug 2020].
- Ogrinc G, Davies L, Goodman D, *et al*. Squire 2.0 (standards for quality improvement reporting excellence): revised publication guidelines from a detailed consensus process.
- National Institute for Health and Care Excellence. Putting NICE guidance into practice. resource impact report: end of life care for infants, children and young people with life-limiting conditions: planning and management (NG61). Available: <https://www.nice.org.uk/guidance/ng61/resources/resource-impact-report-pdf-2729614429> [Accessed Jun 2021].
- Edwards JD, Houtrow AJ, Vasilevskis EE, *et al*. Chronic conditions among children admitted to U.S. pediatric intensive care units: their prevalence and impact on risk for mortality and prolonged length of stay\*. *Crit Care Med* 2012;40:2196–203.
- Elema A, Zalmstra TAL, Boonstra AM, *et al*. Pain and hospital admissions are important factors associated with quality of life in nonambulatory children. *Acta Paediatr* 2016;105:e419–25.
- National Institute for Health Research. *Improving care by using patient feedback*. NIHR Dissemination Centre, 2019.
- Marpole R, Blackmore AM, Gibson N, *et al*. Evaluation and management of respiratory illness in children with cerebral palsy. *Front Pediatr* 2020;8:333.
- Haynes S, Dorsett C, Wolff T. Writing a good anticipatory care plan for a child with severe disability. *Paediatr Child Health* 2019;29:441–7.

## SUPPLEMENTAL MATERIAL

Table a. “Your Child’s Emergency Care” Picker survey results by questions – Parent/ Carer Version

Waiting	%	n
How do you feel about how long you had to wait for the respiratory physiotherapist to arrive?		
We did not have to wait at all	49%	32
The wait was shorter than expected	37%	24
The wait was about as long as we expected	14%	9
The wait was longer than we expected	0%	0
<hr/>		
Care and Treatment	%	n
Did the respiratory physiotherapist that you saw explain what they were doing in a way you could understand?		
Yes completely	97%	63
Yes, to some extent	1.5%	1
No	0%	0
I did not need an explanation	1.5%	1
Don’t know/ can’t remember	0%	0
Did the respiratory physiotherapist that you saw explain what was wrong with your child in a way you could understand?		
Yes, completely	95%	62
Yes, to some extent	3%	2
No	0%	0
Don’t know/ can’t remember	0%	0
They did not know what was wrong with my child	0%	0
Did not answer this question	1.5%	1
Do you think that the respiratory physiotherapist did everything they could to calm and comfort your child?		
Yes, completely	92%	60
Yes, to some extent	6%	4
No	0%	0
This was not needed	1.5%	1



---

Do you think that your child felt as ease with the respiratory physiotherapist that you saw?

Yes, completely	94%	61
Yes, to some extent	5%	3
No	0%	0

Did not answer this question	1.5%	1
------------------------------	------	---

If your child was having breathing problems, did the respiratory physiotherapist do everything they could to help with their breathing problems?

Yes, definitely	85%	55
Yes, to some extent	1.5%	1
No	1.5%	1
My child was not having breathing problems	12%	8

Did you receive enough information about your child's condition and treatment?

Yes, enough information	97%	63
Some, but not enough information	3%	2
None, but I did not need any	0%	0
They did not know what was wrong with my child	0%	0

Do you think that the respiratory physiotherapist did everything they could to help your child?

Yes, definitely	98%	64
Yes, to some extent	1.5%	1
No	0%	0
Don't know/ can't remember	0%	0

After your emergency care, what happened?

My child went to hospital	5%	3
My child went home/ stayed at home	57%	37
Other	37%	24

Did not answer this question	1.5%	1
------------------------------	------	---

---

Aftercare	%	n
Did someone tell you what you should watch out for at home after your child's care?		
Yes, definitely	89%	58
Yes, to some extent	0%	0
No	0%	0
This was not needed	5%	3
Don't know/ can't remember	0%	0
Did not answer this question	6%	4
Did the respiratory physiotherapist tell you what to do or who to contact if you were worried about anything after your child's emergency care?		
Yes	97%	63
No	0%	0
Don't know/ can't remember	0%	0
Did not answer this question	3%	2
Overall, how well do you think your child was looked after by the respiratory physiotherapy service?		
Very well	97%	63
Fairly well	3%	2
Not very well	0%	0
Not at all well	0%	0
Was the main reason for your child's emergency care dealt with well?		
Yes, completely	95%	62
Yes, to some extent	3%	2
No	0%	0
Don't know/ can't remember	0%	0
Did not answer this question	1.5%	1

---

Who was the main person who answered the questions on this survey?		
	3%	2
Child (patient)	92%	60
Parent/ carer	5%	3
Both child and parent/ carer together		
Is your child male and female?		
	65.6%	42
Male	34.4%	22
Female		
Which of these best describes your child's ethnic background?		
	54%	35
White (e.g British, Irish, European)	3%	2
Mixed (e.g White and Asian)	26%	17
Asian/ Asian British (e.g Indian)	1.5%	1
Black/ Black British	0%	0
Chinese	1.5%	1
Any other ethnic group		
	14%	9
Did not answer this question		
Which of these is the MAIN language spoken at home?		
	66%	43
English	1.5%	1
Other European language	19%	12
Asian language (such as Hindi, Gujarati, Punjabi, Urdu, Bengali, Chinese, Thai)	1.5%	1
African language (such as Swahili, Hausa, Yoruba)	0%	0
Other, including British Sign Language		
	12%	8
Did not answer this question		

---

Table b. "Your Emergency Care" Picker survey results by questions – Child/Young Person Version

<b>Waiting</b>	<b>%</b>	<b>n</b>
How did you feel about how long you had to wait for the respiratory physiotherapist to arrive?		
I did not have to wait at all	0%	0
The wait was shorter than expected	100%	1
The wait was about as long as I expected	0%	0
The wait was longer than I expected	0%	0
<hr/>		
<b>Your Care and Treatment</b>	<b>%</b>	<b>n</b>
Did the respiratory physiotherapist that you saw explain what they were doing in a way you could understand?		
Yes, completely	100%	1
Yes, sort of	0%	0
No	0%	0
I did not need an explanation	0%	0
Don't know/ can't remember		
Did the respiratory physiotherapist that you saw explain what was wrong with you in a way you could understand?		
Yes, completely	100%	1
Yes, sort of	0%	0
No	0%	0
I did not need an explanation	0%	0
Don't know/ can't remember	0%	0
They did not know what was wrong with me	0%	0
Do you think that the respiratory physiotherapist did everything they could to calm and comfort you?		
Yes, completely	100%	1
Yes, sort of	0%	0
No	0%	0
This was not needed	0%	0

Did you feel safe with the respiratory physiotherapist that saw you?

Yes, completely

Yes, sort of

No

0% 0

0% 0

Did not answer this question

0% 0

100% 1

If you were having problems with your breathing, did the respiratory physiotherapist do everything they could to help with your breathing problems?

Yes, completely

Yes, sort of

No

100% 1

I was not having problems with my breathing

0% 0

0% 0

0% 0

Did you or your parent/ carer receive enough information about what was wrong with you  
And how to make it better?

Yes, enough information

Some, but not enough information

None, but I would have liked some

None, but I did not need any

They did not know what was wrong with me

100% 1

0% 0

0% 0

0% 0

0% 0

Do you think that the respiratory physiotherapist did everything they could to help you?

Yes, definitely

Yes, sort of

No

Don't know/ can't remember

100% 1

0% 0

0% 0

0% 0

After your emergency care, what happened?

I went to hospital

I went home/ stayed at home

Other

0% 0

100% 1

0% 0

Aftercare	%	n
Did someone tell you what you should watch out for at home after your child's care?		
Yes, definitely	89%	58
Yes, to some extent	0%	0
No	0%	0
This was not needed	5%	3
Don't know/ can't remember	0%	0
Did not answer this question	6%	4
Did the respiratory physiotherapist tell you what to do or who to contact if you were worried about anything after your child's emergency care?		
Yes	97%	63
No	0%	0
Don't know/ can't remember	0%	0
Did not answer this question	3%	2
Overall, how well do you think your child was looked after by the respiratory physiotherapy service?		
Very well	97%	63
Fairly well	3%	2
Not very well	0%	0
Not at all well	0%	0
Was the main reason for your child's emergency care dealt with well?		
Yes, completely	95%	62
Yes, to some extent	3%	2
No	0%	0
Don't know/ can't remember	0%	0
Did not answer this question	1.5%	1
	3%	2
	92%	60

---

Who was the main person who answered the questions on this survey?	5%	3
Child (patient)		
Parent/ carer	100%	1
Both child and parent/ carer together	0%	0
Is your child male and female?		
Male		
Female		
	0%	0
Which of these best describes your ethnic background? Please ask your parent/ carer if you are not sure.	0%	0
	0%	0
	0%	0
White (e.g British, Irish, European)	0%	0
Mixed (e.g White and Asian)	0%	0
Asian/ Asian British (e.g Indian)		
Black/ Black British	100%	1
Chinese		
Any other ethnic group		
Did not answer this question	100%	1
	0%	0
Which of these is the MAIN language spoken at home?	0%	0
	0%	0
English	0%	0
Other European language		
Asian language (such as Hindi, Gujarati, Punjabi, Urdu, Bengali, Chinese, Thai)		
African language (such as Swahili, Hausa, Yoruba)		
Other, including British Sign Language		

---

Table c. Was there anything you thought was really good about your child's emergency care?

Quote Number	Quote
1	Fast and efficient
2	the team provide an excellent service. Our daughter is a regular user of numerous NHS services. The Rapid Response Physiotherapy Team are the gold standard of NHS care. They have kept my daughter out of hospital on numerous occasions and must save the NHS a fortune in reduced hospital care.
3	Efficient in all treatment. Gave a thorough detailed explanation of Isabelle's condition.
4	Everything
5	Everything was done very professionally whilst checking our student was comfortable/able at all times. Very encouraging and calming towards him.
6	Good Physio Team
7	It was very helpful that Moira could prescribe medicine. It saves us lots of time and stress to go to the GP practice.
8	Rapid Response are worth more than gold. They help keep my son out of hospital and are 100% reliable and professional with them being able to prescribe medication is fantastic as we can now get the help we need quickly and without stress. I know that without them my son would be in hospital an awful lot more. There his lifeline.
9	The rapid response physio knows our situation and our child so completely understands what she needs brilliant continuity of care and understanding.
10	Moira is brilliant with him. Makes him relax about what's going on with his breathing he feels at ease with the therapy.
11	Do not wait long for treatment, medication given on script straight away.
12	Very fast acting when contact them.
13	Fast response made for our sons care and reassurance. It's a busy time of year for children like our son but we felt that our physiotherapist had plenty of time and didn't feel rushed at all. We can't thank the team enough.
14	Everything!
15	They are very good at take care of my child and with us. Also give good advice.



- 16 Everything was good, we have a very good team and couldn't have had a better team.
- 17 The physios know their patients well and the care and support they give to the patients and their family is very much appreciated. The rapid response service is amazing, and it definitely keeps patients at home. Without this service my child would've had numerous admissions
- 18 Everything was excellent
- 19 Great information given
- 20 Excellent quick response
- 21 Great communication and explanation of findings
- 22 such a great service, Sam was ever so helpful
- 23 They always helpful, make my child comfortable
- 24 Moira is always so kind and helpful. She does it like its her own child. Thank you ever so much.
- 25 the staff know this young person very well an are always on hand to help. We honestly don't know what we'd do without them.
- 26 The service has prevented hospital admissions in the past and GP visits that don't know her. The service is also good when needing advice.
- 27 Caroline is a fabulous 'nurse'. Very reassuring and helpful. If I am unsure of anything. Brilliant nurse for this student.
- 28 It is an invaluable service that helps keep our son well and out of hospital without which would mean more unnecessary hospital visits
- 29 My child knows the physios and they know her really well. This helps her treatment go smoothly. The physio came as soon as possible after the initial calls, treatment given, and plan of action agreed by physio and parent.
- 30 People that do this job are exceptional
- 31 she came to see him immediately and explained everything thoroughly. She was talking to the patient and calmly reassuring him.
- 32 Treated very good.
- 33 Brilliant care

Table d. Was there anything that could have been better?

Quote Number	Quote
1	No they are always amazing.
2	Nothing
3	No
4	Needs to be a 24 hour service as things normally happen in the middle of the night and weekends. Also why stop at 25 there needs to be adult service.
5	No everything was just right.
6	No
7	No
8	Nothing
9	Nothing
10	No, all good
11	No
12	No, very positive visit
13	No. Everything is very good.
14	No
15	My main concern is that the service ends at 25 years old when we will be left with nothing. So I can see more hospital admissions in the future. The service now needs extending beyond 25 years.
16	No
17	No
18	This service was not available when my child first became poorly as it fell on a Sunday so had to manage her until the Monday when staff were able to visit and treat.

- 19 No, looked after well
- 20 Nothing
- 21 No, brilliant care
- 22 No