

Supplement 1, ICD-10 Codes for Re-Presentations Potentially Related to Hypertension

E87.7	Fluid overload
E88.0	Disorders of plasma-protein metabolism, not elsewhere classified
G40	Epilepsy
	Other generalised epilepsy and epileptic syndromes, without mention of intractable epilepsy
G40.4	
G43.9	Migraine, unspecified
G44.2	Tension-type headache
G971	Other reaction to spinal and lumbar puncture, headache
H53.4	Visual field defects
H53.8	Other visual disturbances
H57.1	Ocular pain
I10	Essential (primary) hypertension
I21.4	Acute subendocardial myocardial infarction
I42.0	Dilated cardiomyopathy
I50.0	Congestive heart failure
I67.4	Hypertensive encephalopathy
I67.8	Other specified cerebrovascular diseases
I95.2	Hypotension due to drugs
I95.8	Other hypotension
I95.9	Hypotension, unspecified
N17.9	Acute kidney failure, unspecified
N19	Unspecified kidney failure
O10	Pre-existing hypertension in pregnancy, childbirth and the puerperium
O11	Pre-eclampsia superimposed on chronic hypertension
O14.1	Severe pre-eclampsia
O14.2	HELLP syndrome
O14.9	Pre-eclampsia, unspecified
O15.2	Eclampsia in the puerperium
O16	Unspecified maternal hypertension
O268	Kidney disorders in pregnancy, childbirth and the puerperium
O89.4	Spinal and epidural analgesia induced headache during the puerperium
O90.3	Cardiomyopathy in the puerperium
O90.4	Postpartum acute kidney failure
O99.4	Diseases of the circulatory system in pregnancy, childbirth and the puerperium
	Diseases of the circulatory system complicating pregnancy, childbirth and the puerperium
O99.4	
R03.0	Elevated blood pressure reading without diagnosis of hypertension
R07.1	Chest pain on breathing
R07.2	Precordial pain
R07.3	Other chest pain
R07.4	Chest pain, unspecified
R42	Dizziness and giddiness
R51	Headache
R55	Syncope and collapse
R57.0	Cardiogenic shock
T88.5	Headache due to anaesthesia

Y52.1 Calcium-channel blockers causing adverse effects in therapeutic use

Supplement 2, ICD-10 (international classification of diseases 10th revision) codes within the representations database potentially related to post-partum hypertension. Used to select for manual medical record review.