

Table 1: General Surgery Phase I, II & III Results

General Surgery Checklist Completion			
	Phase I (n=30)	Phase II (n=30)	Phase III (n=15)
Not Used	15 (50%)	1 (3%)	1 (6%)
Partial Completion	8 (27%)	23 (77%)	5 (34%)
Full Completion	7 (23%)	6 (20%)	9 (60%)
General Surgery Item Completion			
Item	Phase I (n=30)	Phase II (n=30)	Phase III (n=15)
<i>SIGN IN</i>			
Patient Confirmation	30 (100%)	30 (100%)	15 (100%)
Patient Consent	28 (93%)	30 (100%)	15 (100%)
Site Marked	0	23 (77%)	9 (60%)
Anaesthesia Check	25 (83%)	25 (83%)	15 (100%)
Allergy	0	30 (100%)	14 (93%)
Airway Check	25 (83%)	27 (90%)	13 (87%)
Risk of Blood Loss	11 (37%)	29 (97%)	13 (87%)
FULL SIGN IN	Not Recorded	13 (43%)	8 (53%)
<i>TIME OUT</i>			
Introductions	4 (13%)	9 (30%)	14 (93%)
Surgeon – Critical Steps	3 (10%)	20 (67%)	12 (80%)
Surgeon – Case Length	3 (10%)	20 (67%)	12 (80%)
Surgeon – Blood Loss	2 (7%)	20 (67%)	12 (80%)
Anaesthetist Concerns	5 (17%)	25 (83%)	11 (73%)
Pulse Oximeter Check	28 (93%)	30 (100%)	13 (87%)
Nursing – Sterility	11 (37%)	28 (93%)	14 (93%)
Nursing - Equipment	11 (37%)	28 (93%)	14 (93%)
Antibiotic Prophylaxis	19 (63%)	25 (83%)	15 (100%)
Essential Imaging	Not Recorded	30 (100%)	13 (87%)
FULL TIME OUT	Not Recorded	6 (20%)	9 (60%)
<i>SIGN OUT</i>			
Confirm Procedure	29 (97%)	20 (67%)	12 (80%)
Equipment Count	4 (13%)	27 (90%)	14 (93%)
Specimen Labelling	Not Recorded	22 (73%)	13 (87%)
Equipment Problems	Not Recorded	23 (77%)	12 (80%)
Recovery Concerns	Not Recorded	23 (77%)	12 (80%)
FULL SIGN OUT	Not Recorded	20 (67%)	11 (73%)
Average Completion of Categories			
Category	Phase I	Phase II	Phase III
Surgical	33%	76%	89%
Anaesthetic	69%	89%	87%
Infection Prevention	89%	94%	100%

Figure 1: General Surgery Phase I, II & III Checklist Completion




Figure 2: General Surgery Phase I, II & III Category Average Completion




Table 2: OBG Phase I & II Results

Checklist Completion		
	Phase I (n=14)	Phase II (n=15)
Not Used	7 (50%)	0
Partial Completion	7 (50%)	6 (60%)
Full Completion	0	4 (40%)
Positive Completion of Items on Checklist		
Item	Phase I (n=14)	Phase II (n=15)
<i>SIGN IN</i>		
Patient Confirmation	11 (78%)	10 (100%)
Patient Consent	14 (100%)	10 (100%)
Site Marked	Not Recorded	N/A
Anaesthesia Check	12 (86%)	10 (100%)
Allergy	0	10 (100%)
Airway Check	11 (78%)	9 (90%)
Risk of Blood Loss	9 (64%)	9 (90%)
FULL SIGN IN	Not Recorded	9 (90%)
<i>TIME OUT</i>		
Introductions	14 (93%)	10 (100%)
Surgeon – Critical Steps	0	9 (90%)
Surgeon – Case Length	0	9 (90%)
Surgeon – Blood Loss	0	9 (90%)
Anaesthetist Concerns	0	9 (90%)
Pulse Oximeter Check	14 (100%)	9 (90%)
Nursing – Sterility	0	10 (100%)
Nursing - Equipment	0	10 (100%)
Antibiotic Prophylaxis	11 (79%)	8 (80%)
Essential Imaging	Not Recorded	N/A
FULL TIME OUT	Not Recorded	5 (50%)
<i>SIGN OUT</i>		
Confirm Procedure	14 (100%)	8 (80%)
Equipment Count	1 (7%)	8 (80%)
Specimen Labelling	Not Recorded	N/A
Equipment Problems	14 (100%)	8 (80%)
Recovery Concerns	0	7 (70%)
FULL SIGN OUT	Not Recorded	8 (80%)

Figure 3: OBG Phase I & II Checklist Completion

