Qualitative evaluation of a cardiovascular quality improvement programme reveals sizable data inaccuracies in small primary care practices

Megan McHugh,¹ Tiffany Brown,² David T Liss,² Stephen D Persell,² Milton Garrett,³ Theresa L Walunas³

To cite: McHugh M, Brown T, Liss DT, *et al.* Qualitative evaluation of a cardiovascular quality improvement programme reveals sizable data inaccuracies in small primary care practices. *BMJ Open Quality* 2019;8:e000702. doi:10.1136/bmjopen-2019-000702

Received 2 April 2019

Revised 7 November 2019

Accepted 9 November 2019

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Center for Health Services and Outcomes Research and Department of Emergency Medicine, Feinberg School of Medicine, Northwestern University, Chicago, Illinois, USA

²Division of General Internal Medicine and Geriatrics, Feinberg School of Medicine, Northwestern University, Chicago, Illinois, USA

³Center for Health Information Partnerships, Feinberg School of Medicine, Northwestern University, Chicago, Illinois, USA

Correspondence to Dr Megan McHugh; megan-mchugh@northwestern.edu

INTRODUCTION

Among the most promising quality improvement (QI) interventions for small primary care practices are those led by practice facilitators (PFs), specially trained individuals who help practices develop capacity for continuous QI.^{1 2} They provide coaching on best practices for QI implementation, including using technology to improve care.³ PF-led QI initiatives are positively associated with guideline adoption,^{4 5} and may be cost-neutral if they reduce even a small number of high cost events (eg, admissions).⁶ As part of Healthy Hearts in the Heartland (H3), a programme from the Agency for Healthcare Research and Quality's EvidenceNow initiative, PFs worked with small and medium-sized primary care practices to implement QI strategies for cardiovascular disease prevention.⁷ To identify lessons learnt from the programme, we interviewed practice leaders and PFs from practices that experienced the largest and smallest gains in quality scores to understand their experiences.

METHODS

All participating practices were assigned a primary PF for 12 months who met with practices on demand, typically once a month. PFs offered practices QI interventions related to the ABCS of heart health (Aspirin therapy, Blood pressure control, Cholesterol management, and Smoking screening and cessation) with the goal of improving four ABCS measures that are used in national quality incentive programmes, such as the Merit-based Incentive Payment System.^{8 9} Information about the H3 intervention, outcome measures and study design can be found elsewhere.^{10 11}

Practice leaders from 16 practices with large improvement on the ABCS measures after 12 months, and 15 practices with minimal improvement after 12 months received up to 6 contact attempts asking them to complete a 30 min telephone interview. Practice leaders were individuals at the practice who were most familiar with the intervention, generally physicians and QI managers. Following commitment from the practice leader, we invited the corresponding PF to complete a separate interview. Interviews were conducted between March and April 2018, ~8 months after the 12-month intervention period.

Semi-structured interview protocols were constructed based on the Consolidated Framework for Implementation Research.¹² Interviews were digitally recorded and analysed iteratively and inductively for emergent themes and patterns using the constant comparison approach.

RESULTS

We completed interviews with practice leaders from 14 of 31 eligible practices (45%), and all 7 PFs assigned to those practices (table 1). On average, practices implemented 5.7 electronic health record (EHR)-based QI strategies (eg, clinical decision support prompts) and 7.4 non-EHR strategies (eg, workflow changes).

The practices experienced sizeable changes in ABCS performance measures—both positive and negative—over the 12-month assessment period (table 2). Although most practice leaders and PFs described H3 positively, and could offer examples of how H3 improved care in the practices, respondents typically noted that the largest changes in

Table 1 Characteristics of participating practices

	Characteristics of respondents from practices with the greatest improvement in ABCS scores (n=5)	Characteristics of respondents from practices with the least improvement in ABCS scores (n=9)
No of providers in the practice		
1	2	0
2–5	1	5
6–10	1	0
11–20	0	4
Part of larger health system, % yes	80	33
State		
IN	2	2
IL	2	2
WI	1	5
Median number of H3 QI encounters over 12 months (IQR)	9 (7 to 12)	10 (6 to 11)
Median percentage improvement on aspirin scores (IQR)	11% (4% to 30%)	3% (–20% to 9%)
Median percentage improvement on blood pressure scores (IQR)	7% (0% to 16%)	–3% (–20% to 8%)
Median percentage improvement on cholesterol scores (IQR)	12% (7% to 32%)	–10% (–15% to –7%)
Median percentage improvement on smoking scores (IQR)	2% (0% to 18%)	0% (–27% to 6%)

ABCS, ABCS scores—A=ischemic vascular disease: use of aspirin or other antithrombotic (CMS164v4); B=controlling high blood pressure (CMS165v4); C=statin therapy for the prevention and treatment of cardiovascular disease (CMS PREV-13); and S=preventive care and screening: tobacco use: screening and cessation intervention (CMS138v4). H3, Healthy Hearts in the Heartland; QI, quality improvement.

Table 2 Examples of large changes in ABCS scores, and perceptions of changes by practice facilitators

Example practice	Changes in ABCS scores	Quote
Practice A	A: +11% B: +7% C: +3% S: +34%	'Once the provider realized [documentation] had to be in the screening section, that's when we saw improvement [on the smoking score]. She was doing the counseling, but it wasn't picking up in the report'.
Practice B	A: +13% B: –2% C: +11% S: +2%	'It surprises me that they had such jumps in aspirin and cholesterol, because we didn't really cover those topics (under H3)'.
Practice C	A: +9% B: –26% C: –10% S: +1%	'[The scores are] not what I would have expected... For BP, I would have expected to see improvement after H3. This [practice] reached out to all patients not diagnosed with hypertension but who had a high BP reading in the past 6 months—40 people. They were invited back in to have BP tested again. Some were put on BP medication due to that second visit, others were back to normal. Three people were sent directly to the emergency room. This was a great moment for the [practice]—they made a big impact'.
Practice D	A: –25% B: +9% C: –10% S: +9%	'BP and smoking were the two that were focused on (under H3). Others were not a high priority. So, I was glad that BP and smoking improved. They report aspirin through Epic, and there were some concerns about those numbers at 12 months. There might have been a glitch'.
Practice E	A: +46% B: +20% C: +48% S: +2%	'This practice was complicated in the fact of they had a brand new EHR... The baseline data we had wasn't great. I don't think [the scores are] a true reflection of what the practice was doing'.
Practice F	A: –34% B: –24% C: –10% S: –26%	'[The practice was] so successful with implementation... The culture is so team oriented. Everyone would participate. They organized monthly meetings... so the time was set aside (for H3) without interruption. [They had] full support from administration and the CMO... There was a glitch in the smoking data that was fixed right after 12 months, so the [scores should show] improvement by 18 months. The cholesterol numbers were based on chart review. I'm not sure why there was a decline in Aspirin and Cholesterol. We spent time on both'.
Practice G	A: +10% B: +2% C: +12% S: +1%	'I'm not surprised by [the gains in] the aspirin score. We first started by looking at numbers and [the practice leaders were] surprised by how low they were. We discovered that many of the visits were for mental or behavioral health, not necessarily primary care. For the primary care visits, providers were not adding aspirin to medication lists. (Under H3), the providers made a concerted effort to look at and pay attention to that. Whether it drove the 10% increase, I don't know'. 'I am surprised by the cholesterol scores. I don't recall doing PDSA or interventions focused on cholesterol'.
Practice H	A: –20% B: –29% C: Score not available S: –67%	'[This practice was] not a good fit for H3 just because of limits on my ability to access their EHR. The data were a barrier for this clinic. They were mistakenly thinking it would cost them thousands of dollars to get the data we needed'.

H3, Healthy Hearts in the Heartland.

ABCS scores likely reflected improvements in documentation due to coaching or fixes to EHR data ‘glitches’ rather than changes in care delivery (eg, table 2, practice E). In other cases, respondents were puzzled by observed changes in measured performance, but could not attribute large improvements (or declines) in performance to the H3 interventions (eg, table 2, practice B).

DISCUSSION

In this evaluation of a PF-led QI intervention, we found a number of practices with sizeable changes in performance scores after 12 months. While the largest changes in scores may not reflect actual changes in care delivery, in practices where data accuracy improved, the changes represent success for the H3 programme. Those practices are now better prepared to engage in QI and pay-for-performance efforts that rely on EHR data.

Our results highlight the importance of mixed methods research, which provides a richer contextual lens to judge the success of QI interventions. A limitation of our study is reliance on ABCS measures as our quality indicators. H3 interventions may have improved care processes uncaptured by the measures. Also, our analysis relied on perceptions of only practice leaders and PFs, and our sample is small. However, our findings are consistent with the broader evaluation of EvidenceNow, and evaluations of similar efforts showing that small practices continue to struggle with EHRs.^{13 14} Federal investments in EHR adoption and technical assistance were made available to practices with the expectation that EHRs would generate meaningful performance data, enabling QI and leading to improved care delivery.¹⁵ However, our findings show that some small practices continue to operate with limited or incorrect performance data. Our results should lend caution to pay-for-performance programmes that rely on EHR data.

Acknowledgements The authors wish to thank the practice leaders and practice facilitators who participated in this study.

Contributors MM designed study with input from all authors. MM and TB conducted interviews and analysed data. MM, TB, DTL, SDP, MG and TLW were major contributors in the writing of the manuscript. All authors read and approved the final manuscript.

Funding This research was supported by grant number R18HS023921 from the Agency for Healthcare Research and Quality (AHRQ).

Disclaimer The contents of this product are solely the responsibility of the authors and do not necessarily represent the official views of or imply endorsement by AHRQ or the U.S. Department of Health and Human Services. AHRQ had no involvement in the design of the study and collection, analysis, and interpretation of data and in writing of the manuscript.

Competing interests None declared.

Patient consent for publication Not required.

Ethics approval Northwestern University Institutional Review Board (STU00202126).

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No data are available.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

REFERENCES

- MacColl Center for Health Care Innovation. Practice facilitation/coaching, 2017. Available: <http://maccollcenter.org/our-work/practice-facilitationcoaching> [Accessed 2 Apr 2019].
- TaylorEF, MachtaRM, MeyersDS, et al. Enhancing the primary care team to provide redesigned care: the roles of practice facilitators and care managers. *Ann Fam Med* 2013;11:80–3.
- Agency for Healthcare Research and Quality. Practice facilitation, 2017. Available: <https://pcmh.ahrq.gov/page/practice-facilitation> [Accessed 2 Apr 2019].
- GrumbachK, BainbridgeE, BodenheimerT. *Facilitating improvement in primary care: the promise of practice coaching*. New York, NY: The Commonwealth Fund, 2012.
- BaskervilleNB, LiddyC, HoggW. Systematic review and meta-analysis of practice facilitation within primary care settings. *Ann Fam Med* 2012;10:63–74.
- CullerSD, ParchmanML, Lozano-RomeroR, et al. Cost estimates for operating a primary care practice facilitation program. *Ann Fam Med* 2013;11:207–11.
- CohenDJ, BalasubramanianBA, GordonL, et al. A national evaluation of a dissemination and implementation initiative to enhance primary care practice capacity and improve cardiovascular disease care: the escalates study protocol. *Implement Sci* 2016;11.
- Final Rule: Medicare Program; Merit-Based Incentive Payment System (MIPS) and Alternative Payment Model (APM) Incentive Under the Physician Fee Schedule, and Criteria for Physician-Focused Payment Models, 81 FR 77008(2016).
- Centers for Medicare and Medicaid Services. Quality payment program, 2017. Available: <https://qpp.cms.gov/> [Accessed 2 Apr 2019].
- McHughM, BrownT, LissDT, et al. Practice facilitators' and leaders' perspectives on a facilitated quality improvement program. *Ann Fam Med* 2018;16:S65–71.
- CiolinoJD, JacksonKL, LissDT, et al. Design of healthy hearts in the heartland (H3): a practice-randomized, comparative effectiveness study. *Contemp Clin Trials* 2018;71:47–54.
- DamschroderLJ, AronDC, KeithRE, et al. Fostering implementation of health services research findings into practice: a consolidated framework for advancing implementation science. *Implement Sci* 2009;4.
- Goetz GoldbergD, KuzelAJ, FengLB, et al. EHRs in primary care practices: benefits, challenges, and successful strategies. *Am J Manag Care* 2012;18:e48–54.
- KangerC, BrownL, MukherjeeS, et al. Evaluating the reliability of EHR-Generated clinical outcomes reports: a case study. *EGE MS* 2014;2:13–1102.
- CohenDJ, DorrDA, KnierimK, et al. Primary care practices' abilities and challenges in using electronic health record data for quality improvement. *Health Aff* 2018;37:635–43.