


**Appendix A:** Flow chart of the post-intervention patient groups that met statin indication based on indication.



**Appendix B:** Characteristics of patients in the pre- and post-intervention group.

Characteristic	Overall (n = 695)	Pre-intervention (n = 463)	Post-intervention (n = 232)	p
<b>Demographics</b>				
Age, years	61 ± 10.4	61 ± 10.4	61 ± 10.1	0.4
Males, n (%)	326 (47)	214 (46)	112 (48)	0.6
Uninsured, n (%)	356 (51)	253 (55)	103 (44)	<b>0.013</b>
BMI, kg/m <sup>2</sup>	29 [26-33]	29 [26-33]	29 [26-32]	0.5
<b>Race/Ethnicity, n (%)</b>				0.6
Black or African Americans	323 (46)	222 (48)	101 (44)	
Hispanic or Latino	304 (44)	211 (46)	93 (42)	
White	41 (6.0)	26 (5.6)	15 (6.5)	
Asian	16 (2.3)	9 (1.9)	7 (3.0)	
Native Hawaiian/Pacific Islander	1 (0.1)	1 (0.2)	0 (0.0)	
<b>Patient Primary Language, n (%)</b>				0.7
English	414 (60)	284 (61)	130 (56)	
Spanish	201 (29)	129 (28)	72 (31)	
Portuguese	48 (6.9)	31 (6.7)	17 (7.3)	
Other	24 (3.5)	15 (3.2)	9 (3.9)	
French Creole	7 (1.0)	4 (0.9)	3 (1.3)	
Interpreter Services Utilized	219 (32)	126 (27)	93 (40)	<b>&lt;0.001</b>
<b>Comorbidities, n (%)</b>				
Hypertension	564 (81)	375 (81)	189 (81)	0.8
Diabetes Mellitus	335 (48)	208 (45)	127 (55)	<b>0.015</b>
Hemoglobin A1c	7.30 [6.50-9.30]	7.20 [6.50-8.95]	7.45 [6.57-9.62]	0.3
Chronic Kidney Disease	110 (16)	71 (15)	39 (17)	0.6
Coronary Artery Disease	114 (16)	67 (14)	47 (20)	<b>0.043</b>
History of MI	51 (7.3)	32 (6.9)	19 (8.2)	0.5
History of PCI	57 (8.2)	30 (6.5)	27 (12)	<b>0.019</b>

History of CABG	25 (3.6)	15 (3.2)	10 (4.3)	0.5
Cerebrovascular Disease	100 (14)	68 (15)	32 (14)	0.8
Peripheral Artery Disease	22 (3.2)	13 (2.8)	9 (3.9)	0.4
Chronic Lung Disease	33 (4.8)	20 (4.3)	13 (5.6)	0.4
Current Smoker (or quit < 1 year ago)	108 (16)	83 (18)	25 (11)	<b>0.006</b>
Congestive Heart Failure	87 (13)	60 (13)	27 (12)	0.6
<b>Lipid Profile, mg/dL</b>				
LDL-C	85 [62-120]	87 [64-120]	81 [57-116]	0.14
HDL-C	49 [41-59]	50 [41-59]	48 [41-57]	0.4
Triglycerides	106 [80-153]	103 [78-149]	112 [81-170]	0.061
<b>Statin Indications, n (%)</b>				<b>0.029</b>
Very high risk ASCVD	118 (17)	76 (16)	42 (18)	
Clinical ASCVD	73 (27)	48 (27)	25 (29)	
10-year ASCVD risk >7.5%	250 (36)	185 (40)	65 (28)	
Diabetes, age 40-75	239 (34)	144 (31)	95 (41)	
LDL-C $\geq$ 190 mg/dL	15 (2.2)	10 (2.2)	5 (2.2)	

Values represent mean standard deviation, median [IQR 25th–75th percentiles] or number (%). Bold values indicate statistical significance ( $p < 0.05$ ). CABG = coronary artery bypass grafting; HDL-C = high-density lipoprotein cholesterol; LDL-C = low-density lipoprotein cholesterol; MI = myocardial infarction; PCI = percutaneous coronary intervention.