BMJ Publishing Group Limited (BMJ) disclaims all liability and responsibility arising from any reliance placed on this supplemental material which has been supplied by the author(s)

								Are all essential lab tests were done for ANC and result interpreted correctly and managed accordingly						Does the HC have all the required laboratory investigations for ANC?						Is iron folate supplementation given during ANC		HF provide all BEmONC signal functions										Labo		
Name of Region	Name of Zone	Name of Woreda	Name of Region	Name of HF	Type Health facility	Respondent Position	HF provide women friendly delivery services	# of chart with Blood group & RH	# of chart with Hgb	# of chart with VDRL/RPR	# of chart with Urinalysis	# of chart with PITC	# of chart with HBSAg	Blood group & RH	Hgb	VDRL/RPR	Urinalysis	PITC	HBSAg	# of chart with Iron folate supplementation	There is no any administrative barriers for functional triage of laboring mothers	Antibiotics administered	Uterotonics administered	Anticonvulsants administered	Manual removal of placenta	Removal of retained products	Neonatal resuscitation	Assisted vaginal delivery	Blood Transfusion	Caesarian session	score	Oxytocin	MgSo4	Antihypertens

BMJ Publishing Group Limited (BMJ) disclaims all liability and responsibility arising from any reliance placed on this supplemental material which has been supplied by the author(s)

r ward have an emergency drug cabinet that had essential drugs								PARTOGRAPH filled properly and correctly AND appropriate action taken											Is provider conducts active management of third stage of labor				Staffs in labor ward describe PPH management adequately								Staffs able to describe p		
Antiasthma	Ampicillin	Gentamycin	Metronidazole	Analgesics	score	Emrge drug score2	Partograph used for active stage labor management	# of chart with Temp taken	# of chart with BP taken	# of chart with Pulse taken	# of chart with fetal heart rate taken	# of chart with contraction taken	# of chart with cervical dilatation taken	# of chart with descent check	# of chart with state of membrane or color of liquor checked	# of chart with taugmentation used	# of chart with time of delivery documented	Action performed on Partograph	score	# of charts with 10 IU of oxytocin IM	# of charts with controlled cord traction applied	# of charts with placenta and membranes examine and Cleans the vagina	score	# of HW stated Double IV line was opened	# of HW stated Crystalloids were infused	# of HW stated Oxytocic's were used	# of HW stated Genital tract exploration	# of HW stated activate OR team	# of HW stated avital signs and urine output was monitored	# of HW stated Blood group was known and cross match was initiated	# of HW stated Hematocrit /hemoglobin was determined	# of staffs stated Maternal and fetal status follow up	# of staffs stated Conduct routine laboratories investigation	# of staffs stated provide MgSo4 as Rx and prophylaxis

Fundoscopic use	Eth Somali	Afar	Gambella	Benishangula
Appropriate use	0%	0%	#REF!	0%
Moderate Use	0%	0%	#REF!	0%
Poor use	#REF!	0%	#REF!	0%

BMJ Publishing Group Limited (BMJ) disclaims all liability and responsibility arising from any reliance placed on this supplemental material which has been supplied by the author(s)

er eclampsia or Eclampsia management					Appropriate combinations of antibiotics prescribed for puerperal sepsis?	Safe child birth check list used routinely; filled completely and properly			Newborn corner Equipments														HWs in HF knows the immediate care that given to newborn					Neonate given vitamin K 1 mg, TTC eye ointment and vaccinated with BCG and OPV 0.				Health-care staff in the health faci			
# of staffs stated provide anti hypertensive	# of staffs stated use fluid balance chart for 48hrs	# of staffs stated Provide Corticosteroids for all preterm	# of staffs stated termination decided when indicated	score	# of charts with Ampicillin and gentamicin with metronidazole or clindamycin/doxycycline	# of completed safe child birth check list	score	A dedicated corner for resuscitation of newborns (Newborn Corner) exists	Fixed height with trolley	Drawers	Cup	Bag and Mask for neonate, 250-500ml	Scale baby electronic 10kg	Pump suction foot operated room thermometer	Light examination mobile	I/V Cannula	Extractor mucus	Towels for drying and wrapping the baby	Sterile equipment for cutting and tying the cord	Tube feeding	Sterile Glove	Is there NICU in the facility?	# of HW stated immediate and thoroughly drying	# of HW stated skin to skin contact	# of HW stated delayed cord clamping	# of HW stated initiation of breastfeeding in the 1st hr	score	# of chart with vit K 1mg	# of chart with TTC	# of chart with BCG and OPV vaccination	score	# of HWs stated less movement sign	# of HWs stated poor/no breastfeeding sign	# of HWs stated Hypothermia /hypertherma sign	# of HWs stated restlessness /irritability sign

BMJ Publishing Group Limited (BMJ) disclaims all liability and responsibility arising from any reliance placed on this supplemental material which has been supplied by the author(s)

ility knows the *signs* of newborn sepsis				health-care staff in the health facility knows how to *treat* newborn seps							Do newborns with neonatal sepsis received treatment?	Does the health facility have supplies and materials to provide optimal thermal care to stable and unstable preterm babies using KMC							Health provider measures baby *weight* and *temperature* of baby within two hours		Asphyxiated newborns resuscitated in the past three months			Are all the necessary equipment's needed for newborn resuscitation available							HW practice the routine infection prevention measures					All postpartum women in the health facility offered counselling on birth spacing and family planning methods prior to discharge	Mother educate about *breast feeding*	Mothers demonstrate adequate knowledge on danger signs for *herself* and her *baby*			
# of HWs stated difficulty/fast breathing sign	# of HWs stated deep jaundice sign	# of HWs stated severe abdominal distention or umbilicus readiness sign	# of HWs stated Mentions all 7 signs and symptoms	# of HWs stated No treatment, refer to another facility	# of HWs stated IV penicillin	# of HWs stated IV penicillin plus gentamicin	# of HWs stated IV cefotaxime	# of HWs stated Oral amoxicillin	# of HWs stated Oral cotrimoxazole	score	# charts with sepsis cases received Rx)	All KMC materials available	KMC - support binders	KMC - baby hats	KMC - socks	radiate warmers	# of beds	score	# of cases charts capture baby weight	# of cases charts capture baby temp	# of cases charts indicate newborn resuscitation	If no cases, ask what HCWs do for such cases	score	All equipments available	Radiant warmer,	New born sized Ambubag (with volume of 250 ml/less) with no-0 and 1 mask	Suction bulb	Laryngoscope	Airway, neonatal size endotracheal tubes	Pulse oximeter	# of Hws practice to clean delivery bed	# of HWs processed used instruments	# of HWs wash their hands after and before procedure	# of staffs uses PPE when handling wastes	score	# of women describe they received counselling on birth space and FP	# of mother describe about BF	# of mother describes at least 4 danger sign for her	# of mother describes at least 4 danger sign for her baby	Score	Sub total